



Supra Cell Enzyme

菌酶酵素

包装 Packaging: 5 升/5L

有效成分: 酵母、乳酸菌、光合细菌
Active Ingredients: Yeast, Lactic Acid Bacteria, Photosynthetic Bacteria



Produced by:
Ken Microbes Biotech Sdn Bhd
No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用 / FUNCTION

消化池塘中的食物垃圾，有助于减少水氨，作为健康动物胃肠道的益生菌，净化动物饮用的水。
Digests food waste in the pond, helps reduce water ammonia, functions as a probiotic to nourish the animal's gastrointestinal tract, purifies water for animal drinking.

使用说 / HOW TO USE

鱼塘：每 7-10 天 3-5ppm 或一英亩池塘水中 5 升。
Fish ponds: 3-5ppm every 7-10 days or 5 liters in one acre of pond water.

饮料：100-200 毫升混合在 100 加仑水中饮用。
For drinking: 100-200ml mixed in 100 gallons of water for drinking.

注意事项 / PRECAUTIONS

可与其他有益于动物胃肠道健康的产品一起使用。
Can be used together with other products that are beneficial for animal gastrointestinal health.

请勿与毒药或消毒剂同时使用，以免杀死细菌。
Should not be used with poisons or disinfectants to avoid killing bacteria.

建议持续使用以获得良好效果。
Recommended to be used consistently to get good results.





Pro H2O Care

复合水医生

包装 Packaging: 1 公斤/1kg

有效成分: 多种有益菌及抗菌物质

Active Ingredients: Various types of beneficial bacteria and antimicrobial substances



KEN MICROBES BIOTECH

Produced by:

Ken Microbes Biotech Sdn Bhd
No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用 / FUNCTIONS

抑制大肠杆菌、沙门氏菌和弧菌等细菌的繁殖。分解水中不需要的有机物，改善池塘生态环境。

Suppresses the reproduction of bacteria such as E Coli, Salmonella and Vibrio sp.

Decomposes unwanted organic matter in water and improves the ecological environment of the pond.

本产品安全环保，无浪费，可改善动物饮用水质。

This product is safe and environmentally friendly, no residue, can improve the quality of water for animal drinking.

使用说 / HOW TO USE

鱼池：每亩 200-400 克用于池塘水处理，每 5-7 天一次。

Fish ponds: 200-400g per acre for pond water treatment, every 5-7 days.

内部水循环系统：每立方米 2-5 克，每 3-5 天一次。

Indoor water recycling systems: 2-5g per cubic meter, every 3-5 days.

对于动物饮用：100 加仑饮用水中含有 50 克。

For animal drinking: 50g in 100 gallons of drinking water.

注意事项 / PRECAUTIONS

请勿与杀菌剂或消毒剂同时使用，以免杀死有益细菌。

Cannot be used with fungicides or disinfectants to avoid killing beneficial bacteria.

避免在高水温下使用，以免影响微生物活性。

Avoid use at high water temperatures so that microbial activity is not affected.

建议在早期或疾病变得严重之前使用。

Recommended to be used in the early stages or before the disease becomes serious.

建议持续使用以获得良好效果。

Recommended to be used consistently to get good results.





Ultra Immune Booster

复合免疫精华

包装 Packaging: 1 公斤/1kg

有效成分: 抗菌肽、肠道益生菌、维生素
Active ingredients: Antimicrobial peptides,
Intestinal probiotics, Vitamins



KEN MICROBES BIOTECH

Produced by:

Ken Microbes Biotech Sdn Bhd
No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用/ FUNCTIONS

提高动物抵抗力，对抗大肠杆菌和沙门氏菌。

Increases animal immunity, combats E.Coli and Salmonella.

无毒、无副作用、对动物无残留。

Non-toxic, no side effects, and no residue on animals.

使用说 / HOW TO USE

食品用：一吨食品含 200 克。

For food: 200g in one ton of food.

饮用：100 克溶于 100 加仑水中。

For drinking: 100g in 100 gallons of water.

注意事项 / PRECAUTIONS

可与其他维生素产品结合使用。

Can be used in combination with other vitamin products.

避免和有益微生物混合使用。

Avoid using together with beneficial microbes.

建议持续使用以获得良好效果。

Recommended to be used consistently to get good results.





Supra Nutri Booster 复合维生素

包装 Packaging: 1 公斤/1kg

有效成分: 多种维生素、氨基酸

Active Ingredients: Various vitamins,
Amino Acids



KEN MICROBES BIOTECH

Produced by:

Ken Microbes Biotech Sdn Bhd

No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用/ FUNCTIONS

提高动物抵抗力，加速生长，快速从疾病或压力中恢复。

Increases animal immunity, accelerates growth, quick recovery from disease or stress.

使用说 / HOW TO USE

食品用：一吨食品含 200 克

For food: 200g in one ton of food.

饮用：100 克溶于 100 加仑水中

For drink: 100g in 100 gallons of water.

注意事项 / PRECAUTIONS

可与其他有益于动物胃肠道健康的产品一起使用。

Can be used together with other products that are beneficial for animal gastrointestinal health.

建议持续使用以获得良好效果

Recommended to be used consistently to get good results.





Mega Floral Booster

复合肠道有益菌

包装 Packaging: 1 公斤/1kg

活性成分: 纳豆芽孢杆菌、乳酸菌

Active Ingredients: Bacillus Natto,
Lactobacillus



KEN MICROBES BIOTECH

Produced by:

Ken Microbes Biotech Sdn Bhd
No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用/ FUNCTIONS

健康动物消化系统，减少动物粪便中氨的释放。提高动物抵抗力

Healthy intestinal digestive system of animals, reduces ammonia release in animal feces, and increases animal immunity.

使用说 / HOW TO USE

食品用：一吨食品含 200 克

For food: 200g in one ton of food.

饮用：100 克溶于 100 加仑水中

For drinking: 100g in 100 gallons of water.

注意事项 / PRECAUTIONS

可与其他有益于动物胃肠道健康的产品一起使用。

Can be used together with other products that are beneficial for animal gastrointestinal health.

请勿与毒药或消毒剂同时使用，以免杀死细菌

Should not be used with poisons or disinfectants to avoid killing bacteria.

建议持续使用以获得良好效果

Recommended to be used consistently to get good results.





Pro PSB 浓缩光合菌



KEN MICROBES BIOTECH

包装 Packaging: 5 升/5L

有效成分: 光合细菌

Active Ingredients: Photosynthetic Bacteria

Produced by:

Ken Microbes Biotech Sdn Bhd

No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用/ FUNCTIONS

稳定 pH 值, 去除氨、硫化氢, 增加鱼食中的 β 胡萝卜素

Stabilizes pH levels, removes ammonia, hydrogen sulfide, increases Beta Carotene in fish food.

使用说明 / HOW TO USE

室内水系统: 每 7-10 天 3-5ppm

Indoor water systems: 3-5ppm every 7-10 days.

泥池: 一亩池 5-10 升

Mud ponds: 5-10 liters per acre of pond.

注意事项 / PRECAUTIONS

请勿与毒药或消毒剂同时使用, 以免杀死细菌

Should not be used with poisons or disinfectants to avoid killing bacteria.

建议持续使用以获得良好效果

Recommended to be used consistently to get good results.

建议在 25-40°C 温度下使用

Recommended for use at temperatures of 25-40°C.





Pro Bacillus

复合芽孢杆菌



包装 Packaging: 1 公斤/1kg

活性成分: 枯草芽孢杆菌、地衣芽孢杆菌、
巨大芽孢杆菌 $>1 \times 10^{10}$ cfu/g

Active Ingredients: Bacillus Subtilis, Bacillus
Licheniformis, Bacillus Megaterium $>1 \times$
 10^{10} cfu/g

Produced by:
Ken Microbes Biotech Sdn Bhd
No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用 / FUNCTIONS

消化池水中的废污垢，去除水中的氨和有毒硫化氢，防止藻类过度生长

Digests residual dirt in pond water, removes ammonia and toxic hydrogen sulphide in water,
prevents excessive algae growth.

使用说 / HOW TO USE

鱼池: 每亩 200-300 克, 每 7-14 天施一次

Fish pond: 200-300g per acre, used every 7-14 days.

注意事项 / PRECAUTIONS

请勿与毒药或消毒剂同时使用，以免杀死细菌

Should not be used with poisons or disinfectants to avoid killing bacteria.

建议持续使用以获得良好效果

Recommended to be used consistently to get good results.

服用过量没有问题

No problem if overdosed.





Pro Nitrifier 复合硝化菌



包装 Packaging: 1 公斤/1kg

活性成分：硝化细菌和反硝化细菌

Active Ingredients: Nitrifying & Denitrifying bacteria

Produced by:

Ken Microbes Biotech Sdn Bhd
No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用 / FUNCTIONS

减少泳池水中的氨氮和亚硝酸盐，加速水中有机物的分解，减少和防止有机物的沉淀，增加水中的有益微生物，稳定 pH 值

Reduces ammonia and nitrite in pond water, accelerates the decomposition of organic matter in water, reduces and prevents the deposition of organic matter, increases beneficial microbes in water, stabilizes pH levels.

使用说 / HOW TO USE

鱼池：每亩 200-300 克，每 7-14 天施一次

Fish pond: 200-300g per acre, used every 7-14 days.

注意事项 / PRECAUTIONS

请勿与毒药或消毒剂同时使用，以免杀死细菌


Should not be used with poisons or disinfectants to avoid killing bacteria.

建议持续使用以获得良好效果

Recommended to be used consistently to get good results.

服用过量没有问题

No problem if overdosed.





Iron Reducing Bacteria

降铁复合菌



包装 Packaging: 1 公斤/1kg

活性成分：铁还原菌

Active Ingredients: Iron Reducing Bacteria

Produced by:

Ken Microbes Biotech Sdn Bhd

No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用/ FUNCTIONS

消化池水中的废污垢，去除水中的氨和有毒硫化氢，防止藻类过度生长

Reduces iron and heavy metal content in pond water.

使用说 / HOW TO USE

鱼池：每亩 200-300 克，每 7-14 天施一次

Mud Pond: 200-300g per acre, used every 7-14 days.

Cement Pond: 3-10ppm in pond, rate according to conditions.

注意事项 / PRECAUTIONS

请勿与毒药或消毒剂同时使用，以免杀死细菌


Should not be used with poisons or disinfectants to avoid killing bacteria.

建议持续使用以获得良好效果

Recommended to be used consistently to get good results.

对人体无毒

Non-toxic to humans.





Lactobacillus Care 乳酸菌

包装 Packaging: 1 公斤/1kg

活性成分: 乳酸菌 sp 1×10^9 cfu/g

Active Ingredients: Lactobacillus
sp 1×10^9 cfu/g



Produced by:
Ken Microbes Biotech Sdn Bhd
No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用 / FUNCTIONS

消化池水中的废污垢，去除水中的氨和有毒硫化氢，防止藻类过度生长

Improve nutrient absorption in livestock feed, reduce pathogenic bacterial interference in the intestine.

可分解水中有机物，改善水质

Can decompose organic matter in water, improve water quality.

使用说 / HOW TO USE

鱼池: 每亩 200-300 克, 每 7-14 天施一次

Fish pond: 200-300g in one acre, used every 7-14 days.

For animal feed: 200-300g in 1 ton of feed.

注意事项 / PRECAUTIONS

请勿与毒药或消毒剂同时使用，以免杀死细菌

Should not be used with poisons or disinfectants to avoid killing bacteria.

建议持续使用以获得良好效果

Recommended to be used consistently to get good results.

服用过量没有问题

No problem if overdosed.





Aquamyl

包装 Packaging: 1 公斤/1kg

有效成分: 精选草药

Active Ingredients: Selected herbs



KEN MICROBES BIOTECH

Produced by:

Ken Microbes Biotech Sdn Bhd

No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2,
41200 Klang, Selangor

功能/作用/ FUNCTIONS

100%环保草药配方，驱除并杀死寄生虫，如车轮虫、多毛虫、肝对虾肠细胞虫 (EHP)、鱼霉等。

100% environmentally friendly herbal formula, repels and kills parasites such as Trichodina, Ichthyophthirius Multifiliis, Enterocytozoon Hepatopenaei (EHP), Ichthyophthirius Fouquet and others.

无毒及停药期

Non-toxic and withdrawal period.

使用说 / HOW TO USE

预防：每 100 公斤食物中加入 100 克，每月 3-5 天一次

Prevention: 100g in 100kg of food 3-5 days once a month.

治疗：每 100 公斤食物中添加 300-400 克，连续 4-5 天。晚餐时

Treatment: 300-400g in 100kg of food 4-5 consecutive days. Feed in the evening.

注意事项 / PRECAUTIONS

建议持续使用以获得良好效果

Recommended to be used consistently and follow the spec to get good results.

