



PEST GUARD 2

复合苏白菌

包装 Package: 1 公斤/1 kg
可湿性粉剂 (粉状)
Soluble Powder

有效成分: 苏云菌杆菌, 白僵菌
1x10¹⁰cfu 孢子/克
Active Ingredients: Bacillus thuringiensis
Beauveria bassiana 1x10¹⁰cfu/g



Produced by:
Ken Microbes Biotech Sdn Bhd
No. 7 Jalan Permata 9A/KS09, Taman
Perindustrian Air Hitam Phase 2, , 41200
Klang, Selangor

功能/作用/ FUNCTIONS

复配两种天然菌株，主要通过昆虫表皮接触感染，其次也可经消化道和呼吸道感染,让昆虫死亡。
A combination of two natural microbial strains, infects through contact with insects. It can also be infected through the digestive and respiratory tract and cause death.

菜青虫、玉米螟、稻叶蝉、地下害虫(蓟马蛹，蝇虫，甲虫蛹等)。
Cabbage caterpillars, Corn borers, Whiteflies, and underground pests (thrip pupae, fly insects, beetle pupae, etc.).

使用说 / HOW TO USE

叶面喷洒:1: 800-1000 倍 (7-10 天/次)。Foliar Spray: 1:800-1000 (7-10 days once).

拌细土或有机肥 2 公斤/英亩, 均匀撒施后整理土地。Mix 2kg/acre with fine soil or organic fertilizer, spread evenly.

土壤灌根: 1-2 公斤/英亩 (一次/月)。Irrigation/fertigation: 1-2kg/acre, once every month.

注意事项 / PRECAUTIONS

可配合其它生物农药使用，加速杀虫速度。
Can be used with other biological pesticides to increase effectiveness.

需要早期防治。用量更高，效果更理想，也不会影响作物。
Early prevention and treatment are required. Higher doses will produce better results and will not affect the crop.

不可混合杀菌剂使用，以免益菌被杀死。
Avoid mixing with other antibiotics/disinfectants that may affect the effect of the product.

一个侵染周期 4-7 天。是种缓性的杀虫剂，所以需要早期，预防性的使用。
The infection cycle is 4-7 days. It is a slow-acting insecticide, early preventive use is required.



棕榈树啃叶虫
Beg Worm



蕈蚊幼虫 Fungus Gnat



菜青虫 Ulat Kobis



白粉虱 Ulat Putih